

डा० राम मनोहर लोहिया राष्ट्रीय विधि विश्वविद्यालय Dr. Ram Manohar Lohiya National Law University

No: 311-24 NLULko/Admin/R-43/2016(1731) Date: 12 March, 2024

Quotation Notice

Item wise rates of sealed Quotations are invited for the following work of Laying of water pipe line from Tennis Court to New Jim Hall Estimated cost of Rs. 92,515.00 B.O.Q. of work as per Annexure-1. The quotations shall be received by speed post and by hand addressed to, "Joint Registrar RMLNLU Lucknow-226012" in the Universityup to 3:00P.M. till 18-03-2024.

The quotations are available on the website of the University/main gate of the University only and may be downloaded from rmlnlu.ac.in Conditions:-

- - 1. The rates quoted should include the rates for all materials, labour, T&P, cartage, taxes, etc. required for proper completion of work.
 - 2. Work should be carried out as per all edition of C.P.W.D. UPPWD, specificatins.
 - 3. All material required for completion of work shall conform to latest ISI/ C.P.W.D. UPPWD, specificatins.
 - 4. Payment shall be released after completion of work to the satisfaction of Engineer-incharge.
 - 5. Time of completion shall be 15 Days.
 - 6. Income Tax/GST tax shall be deducted as per rule of Government of India/State Government .
 - 7. Rates quoted shall be valid at least for three months from the date of opening of the quotations.
 - 8. University has the right to reject and one or all quotations without assigning any reason

Joint Registrar

Copy To:-

1- Main Gate Notice Board.

2- In-charge website with a request to upload it on the website of the University.

Joint Registrar

		Bill Of Quantity				
S.N.	Reference No.	Description of work	Qty	unit	Rate	Amount
1	dsr 18.8	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge Concealed work, including cutting chases and making good the walls etc.				
	18.8.4	32 mm nominal dia Pipes	110			